


PALLETS

Dimensional Reference



Unique Features:

- Cost effective
- Compatible with all existing lifting systems
- Easy to clean & wash
- Excellent resistance to most chemicals
- Maintenance-free
- Rot proof
- Extensive testing to ensures quality standards
- Secure
- Robust design to render long service
- Meets all GMP requirements
- Hygienic
- Water proof
- High impact strength and rigidity

Industrial

RANGE & SPECIFICATIONS:



Pallet Code	Overall Dimensions			Clear Entry			Application			Specifications
	L	W	H	L1	W1	H1	Static	Dynamic	Racking	
Moulded : 4-way entry										
1 PNR4-0610-01	640	1000	200	380	740	125	✓	✓	✗	6 legs plain top
2 PNR4-0709-01	700	920	150	500	585	115	✓	✓	✗	9 legs plain top
3 PNR4-0709-02	920	700	150	585	560	115	✓	✓	✗	9 legs plain top
4 PNR4-0810-02	800	1000	185	610	660	125	✓	✓	✗	9 legs std. top
5 PNR4-0907-02	900	750	175	555	555	125	✓	✓	✗	9 legs plain top
6 PNR4-0909-02	900	900	150	630	500	100	✓	✓	✗	9 legs plain top
7 PNR4-1010-01	1000	1000	185	685	685	125	✓	✓	✗	9 legs std. top
8 PNR4-1012-01	1000	1200	200	660	860	125	✓	✓	✗	9 legs std. top
9 PNR4-1012-02	1000	1250	200	710	915	125	✓	✓	✗	9 legs plain top
10 PNR4-1209-01	1200	900	250	600	500	190	✓	✓	✗	4 legs plain top
11 PNR4-1212-01	1200	1200	200	910	910	125	✓	✓	✗	9 legs std. top
12 PNR4-1212-02	1200	1200	140	915	915	90	✓	✓	✗	9 legs perforated top
13 PNR4-1212-03	1200	1200	170	840	840	110	✓	✓	✗	9 legs plain top
14 PNR4-1216-01	1200	1600	140	1140	900	80	✓	✓	✗	9 legs plain top
15 PNR4-0812-11	800	1200	150	560	900	120	✓	✓	✗	3 longitudinal skid corrugated top
16 PNR4-1012-11	1000	1200	150	740	910	120	✓	✓	✗	3 longitudinal skid corrugated top
17 PNR4-1010-51	1000	1000	110	600	600	125	✓	✓	✗	9 legs perforated top, light duty
18 PNR4-1111-51	1120	1120	145	890	890	100	✓	✓	✗	9 legs perforated top, light duty
19 PNR4-1012-51	1000	1200	110	650	850	70	✓	✓	✗	9 legs perforated top, light duty Nestable Type

Industrial



RANGE & SPECIFICATIONS:



Pallet Code	Overall Dimensions			Clear Entry			Application			Specifications
	L	W	H	L1	W1	H1	Static	Dynamic	Racking	
Moulded : 2-way entry										
1 PNR2-0710-01	760	1020	200	-	720	175	✓	✓	✗	6 legs entry width side plain top
2 PNR2-0810-01	800	1045	200	-	725	150	✓	✓	✗	6 legs entry width side plain top
3 PNR2-0810-02	800	1000	145	630	-	100	✓	✓	✗	3 longitudinal skid entry from length side plain top
4 PNR2-0810-03	800	1000	185	-	785	120	✓	✓	✗	3 longitudinal skid entry from width side plain top
5 PNR2-0912-01	900	1200	230	-	900	120	✓	✓	✗	3 longitudinal skid entry from width side semicircular top
6 PNR2-1010-01	1000	1000	145	-	800	100	✓	✓	✗	3 longitudinal skid entry from width side corrugated top
7 PNR2-1010-02	1000	1000	150	800	-	100	✓	✓	✗	3 longitudinal skid entry from length side plain top
8 PNR2-1010-03	1000	1000	110	700	-	70	✓	✓	✗	3 longitudinal skid entry from length side with border
9 PNR2-1010-04	1000	1000	165	800	-	85	✓	✓	✗	3 longitudinal skid entry from length side plain top
10 PNR2-1010-05	1000	1000	200	650	-	140	✓	✓	✗	3 longitudinal skid entry from length side plain top
11 PNR2-1012-01	1000	1200	150	-	900	90	✓	✓	✗	3 longitudinal skid entry from width side plain top
12 PNR2-1012-02	1000	1200	150	690	-	100	✓	✓	✗	3 longitudinal skid entry from length side plain top
13 PNR2-1210-01	1200	1000	175	700	-	110	✓	✓	✗	3 longitudinal skid entry from length side with border
14 PNR2-1212-01	1200	1200	170	-	900	110	✓	✓	✗	3 longitudinal skid entry from width side

Industrial

RANGE & SPECIFICATIONS:



Pallet Code	Overall Dimensions			Clear Entry			Application			Specifications
	L	W	H	L1	W1	H1	Static	Dynamic	Racking	
1 PRR2-0808-01	820	820	104	720	-	55	✓	✓	✗	Entry length side std. top
2 PRR2-0812-01	800	200	145	640	-	100	✓	✓	✗	Entry length side corrugated top
3 PRR2-1012-01	1000	1200	145	810	-	95	✓	✓	✗	Entry length side corrugated top
4 PRR2-1013-01	1000	1300	150	810	-	80	✓	✓	✗	Entry length side corrugated top
5 PRR2-1114-01	1150	1400	150	900	-	70	✓	✓	✗	Entry length side corrugated top
6 PRR2-1212-01	1200	1200	145	1010	-	70	✓	✓	✗	Entry length side corrugated top
7 PRR2-1212-02	1200	1200	175	810	-	75	✓	✓	✗	Entry from length side, drum pallet

Industrial

RANGE & SPECIFICATIONS:



Pallet Code	Overall Dimensions			Clear Entry			Application			Specifications
	L	W	H	L1	W1	H1	Static	Dynamic	Racking	
HS Series										
1 PNR4-HS-0709-01	715	915	150	500	585	115	✓	✓	✗	9 legs plain top
2 PNR4-HS-1010-01	1000	1000	185	680	680	125	✓	✓	✗	9 legs std. top
3 PNR4-HS-1012-01	1000	1200	200	660	860	125	✓	✓	✗	9 legs std. top
4 PNR4-HS-1212-01	1200	1200	185	840	840	125	✓	✓	✗	9 legs std. top
5 PNR2-HS-0710-01	760	1020	200	-	720	185	✓	✓	✗	6 legs width entry plain top
6 PNR2-HS-0810-03	800	1000	120	-	800	120	✓	✓	✓	3 longitudinal skid entry from width side plain top
7 PNR2-HS-1010-05	1000	1000	200	650	-	140	✓	✓	✓	3 longitudinal skid entry from length side plain top
8 PNR2-HS-1012-01	1000	1200	150	-	900	100	✓	✓	✓	3 longitudinal skid entry from width side plain top
9 PNR2-HS-1012-02	1000	1200	150	690	-	100	✓	✓	✓	3 longitudinal skid entry from length side plain top
10 PNR2-HS-1212-01	1200	1200	170	-	900	110	✓	✓	✓	3 longitudinal skid entry from width side

Industrial

RANGE & SPECIFICATIONS:



Pallet Code	Overall Dimensions			Clear Entry			Application			Specifications
	L	W	H	L1	W1	H1	Static	Dynamic	Racking	
Supertuff										
1 PNR4-TS-0812-01	800	1200	125	755	465	90	✓	✓	✗	9 legs , ribbed deck nestable type
2 PNR4-TS-1012-01	1000	1200	125	755	665	90	✓	✓	✗	9 legs , ribbed deck nestable type
3 PNR4-TS-1212-01	1200	1200	125	755	865	90	✓	✓	✗	9 legs , ribbed deck nestable type
4 PNR4-TS-0812-02	800	1200	125	755	465	90	✓	✓	✗	9 legs ribbed deck
5 PNR4-TS-1012-02	1000	1200	125	755	665	90	✓	✓	✗	9 legs ribbed deck
6 PNR4-TS-1212-02	1200	1200	145	750	865	110	✓	✓	✓	9 legs ribbed deck
7 PNR4-TS-0812-11	800	1200	145	755	465	110	✓	✓	✓	3 longitudinal skid, ribbed deck
8 PNR4-TS-1012-11	1000	1200	145	755	665	110	✓	✓	✓	3 longitudinal skid, ribbed deck
9 PNR4-TS-1212-11	1200	1200	145	755	865	110	✓	✓	✓	3 longitudinal skids, ribbed deck
10 PNR4-TS-0812-12	800	1200	145	755	465	110	✓	✓	✓	3 longitudinal skid, ribbed deck
11 PNR4-TS-1012-12	1000	1200	145	755	665	110	✓	✓	✓	3 longitudinal skid, ribbed deck
12 PNR4-TS-1212-12	1200	1200	145	755	865	110	✓	✓	✓	3 longitudinal skid, ribbed deck

Industrial

RANGE & SPECIFICATIONS:



Pallet Code	Overall Dimensions			Clear Entry			Application			Specifications
	L	W	H	L1	W1	H1	Static	Dynamic	Racking	
Supertuff : Reversible										
1 PRR4-TS-0812-01	800	1200	250	755	465	165	✓	✓	✓	4-way entry ribbed deck
2 PRR4-TS-1012-01	1000	1200	250	755	665	165	✓	✓	✓	4-way entry ribbed deck
3 PRR4-TS-1212-01	1200	1200	250	755	865	165	✓	✓	✓	4-way entry ribbed deck
4 PRR4-TS-0812-02	800	1200	250	755	465	165	✓	✓	✓	4-way entry ribbed deck
5 PRR4-TS-1012-02	1000	1200	250	755	665	165	✓	✓	✓	4-way entry ribbed deck
6 PRR4-TS-1212-02	1200	1200	250	755	865	165	✓	✓	✓	4-way entry ribbed deck
Packpal										
1 PSNR-SS-1111-01	1120	1120	135	780	780	100	✓	✓	✗	16 legs ribbed deck nestable type
2 PSNR-SS-1012-02	1000	1200	135	900	600	100	✓	✓	✗	12 legs ribbed deck nestable type
Warehousing										
1 PSNR-SS-1507-01	1500	760	125	✗	✗	105	✓	✗	✗	15 Legs ribbed deck

Ecopal Pallet

Pallet Code	Overall Dimensions			Clear Entry		
	L	W	H	L1	W1	H1
PNR-4-LW-1111-01	1120	1120	140	745	745	100
PNR-4-LW-1012-01	1200	1000	140	690	625	100